L Number	Hits	Search Text	DB	Time stamp
_	0	last-first\$.in.	USPAT;	2003/06/24
_	2	ep-804933-\$.did.	US-PGPUB USPAT; US-PGPUB;	00:01 2004/03/31 16:23
_	15898	710/\$.ccls.	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/01
-	8	(motherboard pcb board) same (slot socket) same (network near5 interface) same (link protocol) same address	IBM_TDB USPAT; US-PGPUB	2003/06/24 10:55
-	124	(motherboard pcb board) same (slot socket) same (network near5 interface) same (link protocol)	USPAT; US-PGPUB	2003/06/24 10:55
_	124		USPAT; US-PGPUB	2003/06/24 11:19
_	5		USPAT; US-PGPUB	2003/06/24 10:56
_	0	(motherboard pcb board) same (slot socket) same (network near5 interface) same (link protocol) same (communicat\$3 near10 (peripheral near2 device))	USPAT; US-PGPUB	2003/06/24 11:18
_	2	<pre>(motherboard pcb board) same (slot socket) same (network near5 interface) same (link protocol) and (communicat\$3 near10 (peripheral near2 device))</pre>	USPAT; US-PGPUB	2003/06/24 11:20
_	28		USPAT; US-PGPUB	2003/06/24 13:55
_	407		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/24 13:57
-	58	710/\$.ccls. and ((motherboard pcb board) and ((expansion near3 slot) connector port) same (network near5 interface) same (link protocol) and (peripheral near2 device)) 5699350.URPN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2003/06/24 13:59
-	0	(communicat\$3 near6 (peripheral near2 device)) same (network near2 interface) same (slot connector port) same address	USPAT; US-PGPUB; EPO; JPO; DERWENT;	17:22 2003/06/24 20:18
_	34	(communicat\$3 near6 (peripheral near2 device)) same (network near2 interface) same (slot connector port) and address	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/24 20:48
_	0	<pre>(network near2 interface) near6 (pcb motherboard mother-board board mainboard) same (peripheral near2 device) same (communication near5 link)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/24 20:50
-	10	<pre>(network near2 interface) same (pcb motherboard mother-board board mainboard) same (peripheral near2 device) same (communication near5 link)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/24 20:56

_	163	(expansion near5 slot) near10 (peripheral	USPAT;	2003/06/24
ļ		near2 device)	US-PGPUB;	20:57
			EPO; JPO;	
			DERWENT;	
	!		IBM_TDB	i
l –	70	(network near5 interface) and ((expansion	USPAT;	2003/06/24
		near5 slot) near10 (peripheral near2	US-PGPUB;	21:12
		device))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	6	(communication near2 link) and ((network	USPAT;	2003/06/24
		near5 interface) and ((expansion near5	US-PGPUB;	21:22
		<pre>slot) near10 (peripheral near2 device)))</pre>	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	378	(processor cpu microprocessor dsp mu mpu)	USPAT;	2003/06/24
		same communicat\$3 same (peripheral near2	US-PGPUB;	21:25
		device) same (network near2 interface)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	12	(processor cpu microprocessor dsp mu mpu)	USPAT;	2003/06/24
		near5 communicat\$3 same (peripheral	US-PGPUB;	21:27
		near2 device) near6 (network near2	EPO; JPO;	
		interface)	DERWENT;	
			IBM_TDB	
-	43	(processor cpu microprocessor dsp mu mpu)	USPAT;	2003/06/24
		same communicat\$3 same (peripheral near2	US-PGPUB;	21:54
		device) near6 (network near2 interface)	EPO; JPO;	
ŀ			DERWENT;	
			IBM_TDB	
-	0	(network near2 interfaces!) near6 (board	USPAT;	2003/06/25
		motherboard mother-board pcb) same	US-PGPUB;	11:26
		(communicat\$3 near2 link)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	(network near2 interfaces!) near6 (board	USPAT;	2003/06/25
		motherboard mother-board pcb) same	US-PGPUB;	11:27
		(communicat\$3 same link)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	8	(network near2 interfaces!) same (board	USPAT;	2003/06/25
		motherboard mother-board pcb) same	US-PGPUB;	12:06
		(communicat\$3 same link)	EPO; JPO;	
	,		DERWENT;	
1		(	IBM_TDB	2002/06/25
-	81		USPAT;	2003/06/25
		motherboard mother-board pcb) and	US-PGPUB;	17:28
		(communicat\$3 same link)	EPO; JPO;	
			DERWENT;	
ĺ		(notronk noon) intenfered mant there	IBM_TDB USPAT;	2003/06/25
_	3	(network near2 interface) near5 (board motherboard mother-board pcb) same	US-PGPUB;	17:34
			EPO; JPO;	11.73
1		(expansion near5 slot) and (communicat\$3 same link)	DERWENT;	
		Same IIIIK/	IBM TDB	
1_	1	(network near2 interface) near5 (board	USPAT;	2003/06/25
		motherboard mother-board pcb) same	US-PGPUB;	17:36
		(expansion near5 slot) same (peripheral	EPO; JPO;	
		near2 device)	DERWENT;	
		Heal2 device;	IBM TDB	
_	9	(network near2 interface) near5 (board	USPAT;	2003/06/25
		motherboard mother-board pcb) and (	US-PGPUB;	17:53
		(expansion near5 slot) same (peripheral	EPO; JPO;	
		near2 device))	DERWENT;	
		near device,	IBM TDB	
_	47	(network near2 interface) same (board	USPAT;	2003/10/07
	"'	motherboard mother-board pcb) and (	US-PGPUB;	17:11
		(expansion near5 slot) same (peripheral	EPO; JPO;	
		near2 device))	DERWENT;	
			IBM TDB	
-	8	5524007.URPN.	USPAT	2003/06/26
1				11:55
	1			·

2695	(network near2 interface) same (board motherboard mother-board pcb)	USPAT;	2003/10/07
	modificiald modifier again bon!	US-PGPUB; EPO; JPO;	18:27
352	710/\$.ccls. and ((network near2	DERWENT; IBM_TDB USPAT;	2003/10/07
332	interface) same (board motherboard mother-board pcb) )	US-PGPUB; EPO; JPO; DERWENT;	17:11
75	(link same protocol) and (710/\$.ccls. and ((network near2 interface) same (board motherboard mother-board pcb) ))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/07 17:12
2	<pre>(network near2 interface) near10 (board motherboard mother-board pcb) near10 (link same protocol)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/07 18:30
33	<pre>(network near2 interface) near10 (board motherboard mother-board pcb) same (link same protocol)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/07 18:50
2	<pre>(network near2 interface) near10 (board motherboard mother-board pcb) same (link same protocol) and (peripheral near2 device)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/07 18:33
1254	(network near2 interface) near10 (board motherboard mother-board pcb)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/07 18:50
144	710/\$.ccls. and ((network near2 interface) near10 (board motherboard mother-board pcb) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/30 16:10
28	710/\$.ccls. and ((network near2 interface) near10 (board motherboard mother-board pcb) ) and (tcp/ip)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/30 16:26
9	710/\$.ccls. and ((network near2 interface) near10 (board motherboard mother-board pcb) ) and (udp same protocol)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/30 16:26
39	US-5524007-\$ or US-6324608-\$ or US-6389464-\$ or US-6243769-\$ or US-6510473-\$ or US-6507882-\$ or US-6353884-\$ or US-5077683-\$ or US-6105146-\$ or US-5857087-\$ or US-6311165-\$ or US-6223239-\$ or US-6311165-\$ or US-6223239-\$ or US-699350-\$ or US-5671355-\$ or US-5699350-\$ or US-6576208-\$ or US-6572384-\$ or US-6370599-\$ or US-6572384-\$ or US-6493824-\$ or US-6195332-\$ or US-5966510-\$).did. or (US-20030099254-\$ or US-20010036178-\$ or US-20030046467-\$ or US-20020099886-\$ or US-20020019891-\$ or US-20020083228-\$ or US-20010042150-\$ or US-20020083228-\$	US-PGPUB	2004/03/31 16:16
	2 33 2 1254 144	mother-board pcb) )  (link same protocol) and (710/\$.ccls. and ((network near2 interface) same (board motherboard mother-board pcb) ))  (network near2 interface) near10 (board motherboard mother-board pcb) near10 (link same protocol)  (network near2 interface) near10 (board motherboard mother-board pcb) same (link same protocol)  (network near2 interface) near10 (board motherboard mother-board pcb) same (link same protocol) and (peripheral near2 device)  (network near2 interface) near10 (board motherboard mother-board pcb)  (network near2 interface) near10 (board motherboard mother-board pcb)  1254 (network near2 interface) near10 (board motherboard mother-board pcb)  28 710/\$.ccls. and ((network near2 interface) near10 (board motherboard mother-board pcb) )  29 710/\$.ccls. and ((network near2 interface) near10 (board motherboard mother-board pcb) ) and (ucp same protocol)  39 (US-652986-\$ or US-6009480-\$ or US-633884-\$ or US-63234608-\$ or US-6311165-\$ or US-6243769-\$ or US-6311165-\$ or US-6243769-\$ or US-6311165-\$ or US-6026454-\$ or US-659350-\$ or US-657238-\$ or US-657	### Tops

-	2	("20030033469").PN.	USPAT;	2004/03/31
			US-PGPUB;	16:40
			EPO; JPO;	
			DERWENT; IBM TDB	
	91	(peripheral near6 network) same interface	USPAT;	2004/03/31
-	91	same (tcp packetiz\$3 udp) same protocol	US-PGPUB;	16:46
		Same (tep packet1245 ddp) Same protocor	EPO; JPO;	10.40
			DERWENT;	
			IBM TDB	
_	17721	(peripheral near2 device) same	USPAT;	2004/03/31
		communicat\$3 (processor microprocessor	US-PGPUB;	16:48
		mpu cpu dsp pu) same (tcp udp packetiz\$3)	EPO; JPO;	
		same protocol	DERWENT;	
	2200	//www.imhawa3.waaw2.daadaa)	IBM_TDB	2004/02/21
-	3399	((peripheral near2 device) same communicat\$3 (processor microprocessor	USPAT; US-PGPUB;	2004/03/31 16:48
		mpu cpu dsp pu)) same (tcp udp	EPO; JPO;	10.40
		packetiz\$3) same protocol	DERWENT;	
	]	paonoo1240, samo p2000001	IBM TDB	
_	26	((peripheral near2 device) same	USPAT;	2004/03/31
1	1	communicat\$3 same (processor	US-PGPUB;	19:13
	1	microprocessor mpu cpu dsp pu)) same (tcp	EPO; JPO;	
1		udp packetiz\$3) same protocol	DERWENT;	
	0		IBM_TDB	0004/02/21
-	25250	(tcp udp packetiz\$3) near10 protocol	USPAT;	2004/03/31
1			US-PGPUB; EPO; JPO;	19:13
			DERWENT;	
			IBM TDB	· .
_	608	((tcp udp packetiz\$3) near10 protocol)	USPAT;	2004/03/31
		near10 (network near2 interface)	US-PGPUB;	19:13
		·	EPO; JPO;	
			DERWENT;	
		<u>.</u> .	IBM_TDB	
-	133	((tcp udp packetiz\$3) near10 protocol)	USPAT;	2004/04/01
1		near10 (network near2 interface) same	US-PGPUB;	13:32
		transmission	EPO; JPO; DERWENT;	
			IBM TDB	
_	1	((tcp udp packetiz\$3) near10 protocol)	USPAT;	2004/03/31
	_	near10 (network near2 interface) same	US-PGPUB;	19:15
		transmission same (peripheral near2	EPO; JPO;	
		device)	DERWENT;	
	_		IBM_TDB	1
-	20		USPAT;	2004/03/31
		near10 (network near2 interface) same	US-PGPUB; EPO; JPO;	19:46
		transmission and (peripheral near2 device)	DERWENT;	
		400100/	IBM TDB	
_	5	((tcp udp packetiz\$3) near10 protocol)	USPAT;	2004/03/31
		near10 (network near2 interface) same	US-PGPUB;	19:46
		(peripheral near2 device)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/02/21
-	5		USPAT;	2004/03/31
		near10 protocol) near10 (network near2 interface) same transmission)	US-PGPUB; EPO; JPO;	13:20
		Interface; same cransmission;	DERWENT;	
			IBM TDB	
_	954	((tcp udp packetiz\$3) same protocol)	USPAT;	2004/04/01
		same (network near2 interface) same	US-PGPUB;	13:32
		transmission	EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/04/05
-	25	710/\$.ccls. and (((tcp udp packetiz\$3)	USPAT;	2004/04/01
		same protocol) same (network near2	US-PGPUB;	13:33
	1	interface) same transmission)	EPO; JPO; DERWENT;	
			IBM TDB	
1				I

-	181	(peripheral near2 device) and ( ((tcp udp	USPAT;	2004/04/01
		packetiz\$3) same protocol) same (network	US-PGPUB;	13:33
		near2 interface) same transmission)	EPO; JPO;	
			DERWENT;	
]			IBM_TDB	
-	15	(peripheral near2 device) same ( ((tcp	USPAT;	2004/04/01
i		udp packetiz\$3) same protocol) same	US-PGPUB;	13:33
1		(network near2 interface) same	EPO; JPO;	
		transmission)	DERWENT;	
			IBM TDB	